

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	



SERIES SPECIFICATIONS

EXW SERIES

The EXW series wet location exit sign features a construction that is ideal for wet locations, while also being resistant to corrosive atmospheres, non-hazardous dust environments, frequent hose-downs, water spray or splashing water.



LINE DRAWING



CONSTRUCTION

Housing
5VA Flame retardant, UV- stabilized polycarbonate

Lens
High-impact resistant, UV-stabilized clear polycarbonate

Transfer switch
Internal solid-state transfer switch automatically connects the internal battery to lamp heads

Chevrons
Easy snap out chevron directional indicators

Illumination
Ultra bright, long life Red or Green LED

Gasket
Engineering grade silicone

Charger
Fully automatic solid-state, two rate charger initiates battery charging to recharge a discharged battery in 24 hours

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

ELECTRICAL SPECIFICATIONS

Battery Type 4.8V Rechargeable NiCad	Emergency Illumination Minimum 90 Minutes	Battery Recharge Time 24 Hours
Low Voltage Disconnect Prevents battery from deep discharge	LED Indicator Charge rate/power "ON" and push to test switch	Battery Discharge Time 1.5 Hours
Operating Voltage 120/277	Frequency 60Hz	

AMPERAGE/WATTAGE

CATALOG NUMBER	INPUT WATTS (W)		INPUT AMPS (A)	
	120V	277V	120V	277V
EXW	5.4	5.4	0.045	0.019

MOUNTING SPECIFICATIONS

Mounting hardware provided for back surface wall mount

Top and side K/Os provided for conduit feed applications

OPTIONS

HTR
Optional internal heater for cold temperature applications

USA
Substantial transformation assembly in the U.S. complies with "Assembled in the USA" under the Buy American Act

CERTIFICATIONS/WARRANTY

Listing
UL Listed

Compliance
Meets UL924, cULus, NFPA 101 Life Safety Code, NEC, OSHA, Local and State Codes.

Location Rating:
Suitable for wet locations

Warranty
Guaranteed for five years from the purchase date of the product, against mechanical defects in manufacturing. Batteries are pro-rated for two years.

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

ORDERING INFORMATION

Part Number: EXW1REM

EXW				
SERIES	NO. OF FACES	LETTER COLOR	OPERATION	OPTION
EXW	[1] : Single Face	[G] : Green	[BLANK] : A/C Only	[BLANK] : No Option
		[R] : Red	[EM] : Battery Backup	[HTR] : Heater
				[USA] : Assembled in the USA