

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

#### SERIES SPECIFICATIONS


The EXWC series wet location exit sign and emergency light combination features a construction that is ideal for wet locations, while also being resistant to corrosive atmospheres, non-hazardous dust environments, frequent hose-downs, water spray or splashing water.




**EXWC SERIES** 



#### LINE DRAWING





## CONSTRUCTION

Housing

5VA Flame retardant, UV- stabilized polycarbonate

Lens High-impact resistant, UV-stabilized clear polycarbonate

Transfer switch Internal solid-state transfer switch automatically connects the internal battery to lamp heads

Chevrons Easy snap out chevron directional indicators Exit Illumination Ultra bright, long life Red or Green LED

Lamp Heads Two fully adjustable 5.4W, incandescent lamps with high performance reflectors and tempered glass lens

Gasket Engineering grade silicone

Charger Fully automatic solid-state, two rate charger initiates battery charging to recharge a discharged battery in 24 hours





MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

ELECTRICAL SPECIFICATIONS		
Battery Type 6V Rechargeable NiCad	Emergency Illumination Minimum 90 Minutes	Battery Recharge Time 24 Hours
LED Indicator Charge rate/power "ON" and push to test switch	Frequency 60Hz	Battery Discharge Time 1.5 Hours

Operating Voltage 120/277

# AMPERAGE/WATTAGE

	INPUT WATTS (W)		INPUT AMPS (A)	
CATALOG NUMBER	120V	277V	120V	277V
EXWC	7.2	7.7	0.063	0.030

## MOUNTING SPECIFICATIONS

Mounting hardware provided for back surface wall mount

Top and side K/Os provided for conduit feed applications

## OPTIONS

HTR Optional internal heater for cold temperature applications

## CERTIFICATIONS/WARRANTY

Listing ETL Listed Compliance Meets UL924, cULus, NFPA 101 Life Safety Code, NEC, OSHA, Local and State Codes.

Location Rating: Suitable for wet locations

Warranty

Guaranteed for five years from the purchase date of the product, against mechanical defects in manufacturing. Batteries are pro-rated for two years.





MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

# ORDERING INFORMATION

#### Part Number: EXWC1REM

EXWC				
SERIES	NO. OF FACES	LETTER COLOR	OPERATION	OPTION
EXWC	[1] : Single Face	[G] : Green	[BLANK] : A/C Only	[BLANK] : No Option
		[R] : Red	[EM] : Battery Backup	[HTR] : Heater



APPLICATION AND PERFORMANCE SPECIFICATION INFORMATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION