



# TAMLITE LIGHTING

660 NW Peacock Blvd. Port St. Lucie, FL 34986  
tel: (772) 878-4944 or on the web at [www.tamliteusa.com](http://www.tamliteusa.com)

## SPECIFICATION & FEATURES

Catalog #:	03/28/2017
Project:	Type:
Prepared By:	

### DESCRIPTION

The SLWLED wide strip series is suitable for general purpose lighting in a wide variety of environments, such as commercial, industrial, retail or warehouse lighting applications.

### HOUSING

Hot-dipped galvanized steel housing  
Painted After Fabrication (PAF)- safe handling and added corrosion resistance  
Continuous row mounting capability using a chase nipple  
Numerous knockouts for easy installation  
End Cap Knockout can be removed for architectural appearance.\*

### ELECTRICAL DETAILS

Dimming is Low Voltage (0-10v)  
Driver Details (per driver)  
Input Voltage : 120-277V  
Input Current Max : .77 @ 120V / .33 @ 277V  
Input Frequency : 50/60Hz  
Power Factor : >0.95  
THD : < 20%  
Min Operating Temp : -40°C  
Wattage : 92W  
Board Details (per board)  
CRI : > 80  
Color Consistency : <3.5  
Voltage @ 55°C @ 65mA : 43.8

NEC required ballast disconnect pre-installed

### LISTINGS/RATINGS/COMPLIANCE

Fixtures are UL listed and suitable for damp locations.

Fixtures are DLC listed and featured of the Qualified Products List (QPL).\*\*

### WARRANTY

Guaranteed for five years from the purchase date of the product against mechanical defects in manufacturing

### OPTIONS

This fixture may be suspended via optional cable hanging kit.

### NOTES

Product performance may vary depending on model and end user environment.

\*Consult factory for ordering instructions.

\*\*Not all product variations meet Design Light Consortium Qualifications. Please verify that the product is listed on the DLC products list at [www.designlightconsortium.org/QPL](http://www.designlightconsortium.org/QPL).

\*\*\* SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE\*\*\*

# SLWLED Series

## LED Strip Wide



### SPECIFICATIONS / DIMENSIONS

**2'**  
Width: 4 1/2" Height: 3 7/8" Length: 24"  
**4'**  
Width: 4 1/2" Height: 3 7/8" Length: 48"  
**8'**  
Width: 4 1/2" Height: 3 7/8" Length: 96"

- More Information Continues on next page -



# TAMLITE LIGHTING

660 NW Peacock Blvd. Port St. Lucie, FL 34986  
 tel: (772) 878-4944 or on the web at [www.tamliteusa.com](http://www.tamliteusa.com)

## SPECIFICATION & FEATURES

Catalog #:	03/28/2017
Project:	Type:
Prepared By:	

### ORDERING INFORMATION

Sample Part Code: **SLWLED4-4400D1L840**

SLWLED				L8		
SERIES	LENGTH	LUMEN OUTPUT	NO. OF DRIVERS	CRI	COLOR TEMP	OPTION
SLWLED	[2]: 2ft [4]: 4ft [8]: 8ft	[2200]: 2200 lumens [3300]: 3300 lumens [4400]: 4400 lumens [5280]: 5280 lumens [6600]: 6600 lumens [8800]: 8800 lumens [14000]: 14000 lumens [17600]: 17600 lumens [21200]: 21200 lumens	[D1]: 1 Driver [D1S]: 1 Driver - Down Center [D2]: 2 Drivers [D4]: 4 Drivers	[L8]: CRI±85	[30]: 3000k [35]: 3500k [40]: 4000k [50]: 5000k	[BLANK]: No Options [B500]: 500 Lumen LED emergency backup [B1000]: 1000 Lumen LED emergency backup [W1]: 6ft Whip