



CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#: ICRF

**DESCRIPTION**

**ICRF Series**

The IC4RF is a 4" IC-rated recessed downlight ideal for retrofits or new installations. Wet location certified, the IC4RF can be used in a variety of outdoor applications.



**FEATURES & SPECIFICATIONS**

**Housing Material**  
Polycarbonate

**Mounting Clips**  
Push-in style trim clips

**LED Driver**  
Built-in Electronic Driver

**Retrofit Connector**  
Supplied with an AC disconnect with a standard incandescent E26 base.


**Lens Material**  
Polycarbonate

**Accommodates**  
Most 4" housings

**Warranty**  
Guaranteed for 3 years from the purchase date of the product, against mechanical defects in manufacturing.

**NOTES:**  
This unit can only be considered IC rated if used in approved IC rated housing.

**LINE DRAWING**





CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#: ICRF

**ORDERING INFORMATION**

Example: IC4RF-5

SERIES	SIZE	TYPE	COLOR TEMP
IC	[4] : 4"	[RF] : Retrofit	[-27] : 2700K
			[-3] : 3000K
			[-4] : 4000K
			[-5] : 5000K

**LIGHTING SPECIFICATIONS**

Color Temp	Varies
Dimmable	TRIAC, 15-100%
Efficacy	70Lm/W
CRI	>80
Beam Angle	120°
Min. Starting Temp	-20°C
Max. Starting Temp	40°C
Lumens	600lm @5000K
Lifespan	50,000 hrs.

**ELECTRICAL SPECIFICATIONS**

Input Voltage	120V
Input Wattage	8.5W
Power Factor	>=0.9



CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#: ICRF

**APPROVED DIMMER LIST**

LEGRAND DIMMERS				
CDLV703-PW	D703-PTC	HCL453PTCCCV6	H703PTCCCV6	
LUTRON DIMMERS				
CN-600	TTCL-100H	DV-600P	TG-600PHLH	TGCL-153P
MA-600	GTJ-250M			
LEVITON DIMMERS				
IPI06	6674	6672	6613-P	
COOPER DIMMERS				
DLC03P	9530WS			

**ACCESSORIES**



**LEDTRIM-BK-4**  
**0382-6836**

4" SNAP ON BLACK TRIM FOR IC4IJ & IC4RF

**LEDTRIM-BK-6**  
**0382-6848**

BLACK SNAP ON TRIM FOR IC6IJ AND IC56RF



**LEDTRIM-SN-4**  
**0382-6863**

4" SN SNAP ON TRIM FOR IC4IJ & IC56RF

**LEDTRIM-SN-6**  
**0382-6860**

6" SN SNAP ON LED TRIM FOR IC6IJ & IC56R