



CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#:

DESCRIPTION



RF-5CS Series

The RF-5CS LED Retrofit kits are designed to be compatible with most recessed cans and come with an E26 MED Socket Adapter featuring an OJ-606 quick connector standard.



CONSTRUCTION

Construction

Thermoplastic Trim with Aluminum back plate.

Optics

Opaque Acrylic Lens provides diffusion while sacrificing minimal lumen output.

Dimming

10-100% Triac Dimming

Input Voltage

120VAC

Installation

Spring loaded clips on the RF6 and tension clips on the RF4 allow for quick installation into most recessed cans.

Listings

ETL listed to US and Canadian safety standards. For use in ambient operating temperatures ranging from -22°F to 104°F.


Warranty

5-year limited warranty.


NOTE: Actual performance may differ as a result of end-user environment and application. All values are design or typical values, measured under laboratory conditions at 25 °C. Specifications subject to change without notice.

LINE DRAWING


RF4B-5CS-WH




RF6B-5CS-WH



RF4W-5CS-WH



RF6W-5CS-WH



APPLICATION AND PERFORMANCE SPECIFICATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION



CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#:

ORDERING INFORMATION

EXAMPLE: RF4B-5CS-WH-ECO

SERIES	SIZE	TRIM	COLOR TEMP.	TRIM COLOR
RF	[4] : 4" [6] : 6"	[B] : Baffled Reflector [W] : Flat Wafer Trim	[-5CS] : 2700/3000/3500/4000/5000K Color Select	[-WH] : White Color Trim

PERFORMANCE SPECIFICATIONS

SERIES	LUMENS @ 3000K	LPW	WATTAGE	CRI
Baffled Reflector				
RF4B-5CS-WH	700	70	10	90
RF6B-5CS-WH	850	70	12	90
Flat Wafer Trim				
RF4W-5CS-WH	700	70	10	90
RF6W-5CS-WH	1000	77	13.5	90

ACCESSORIES

*Accessories sold separately

TRIMS




RF4B-TR-BK
0687-9069
4" BAF TRIM FOR
RF4B - BLACK



RF4B-TR-MO
0687-9066
4" BAF TRIM FOR
RF4B - MOCHA



RF6B-TR-BK
0687-9060
6" BAF TRIM FOR
RF6B - BLACK



RF6B-TR-MO
0687-9057
6" BAF TRIM FOR
RF6B - MOCHA



CLY4-TR-BK-ECO
0687-9042
4" WFR TRIM FOR
CLY4-ECO/RF4W - BLACK



CLY4-TR-MO-ECO
0687-9039
4" WFR TRIM FOR
CLY4-ECO/RF4W - MOCHA



CLY6-TR-BK-ECO
0687-9024
6" WFR TRIM FOR
CLY6-ECO/RF6W
- BLACK



CLY6-TR-MO-ECO
0687-9021
6" WFR TRIM FOR
CLY6-ECO/RF6W
- MOCHA



APPLICATION AND PERFORMANCE SPECIFICATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION





CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#:

PHOTOMETRICS

RF4W-5CS-WH @3000K



RF6W-5CS-WH @3000K



APPLICATION AND PERFORMANCE SPECIFICATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION



CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#:

COMPATIBLE DIMMER LIST

NO	BRAND	DIMMER ITEM NO
1	LUTRON	MACL-153M-WH
2		DVCL-153P-WH
3		NLV-600
4		NTLV-600
5		N-600
6		NTELV-600
7		SCL-153P-WH
8		STCL-153M-WH
9		CTCL-153P
14	LEVITON	IPL06-10Z

APPLICATION AND PERFORMANCE SPECIFICATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION