


MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

**SERIES SPECIFICATIONS**
**EXDT SERIES**

The EXDT series thin, low profile, die cast aluminum LED exit sign offers long lamp life, energy efficiency and uniform illumination; all components feature a snap fit construction for speed and ease of installation.


**LINE DRAWING**

**CONSTRUCTION**
**Housing**

Premium grade aluminum housing also available in black or white powder coat

**Transfer switch**

Internal solid-state transfer switch automatically connects the internal battery to lamp heads

**Chevron**

Field selectable knockout chevrons directional indicators

**Illumination**

Ultra bright Red or Green LED

**Charger**

Fully automatic solid-state, two rate charger initiates battery charging to recharge a discharged battery in 24 hours

**Face Plate**

Quick-snap face plate closure

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

## ELECTRICAL SPECIFICATIONS

Battery Type 2.4V Rechargeable NiCad	Emergency Illumination Minimum 90 Minutes	Battery Recharge Time 24 Hours
Low Voltage Disconnect Prevents battery from deep discharge	LED Indicator Charge rate/power "ON" and push to test switch	Battery Discharge Time 1.5 Hours
Operating Voltage 120/277	Operating Temp 0°C ~ 50°C	Frequency 60Hz

## AMPERAGE/WATTAGE

CATALOG NUMBER	INPUT WATTS (W)		INPUT AMPS (A)	
	120V	277V	120V	277V
EXDT	1.0	1.0	0.10	0.10

## MOUNTING SPECIFICATIONS

Backplate Universal K/O pattern on back plate for wall mount	Canopy Aluminum mounting canopy included for top or end mount.
---	---

Suitable for wall or canopy mount

## CERTIFICATIONS/WARRANTY

Listing UL Listed	Compliance Meets UL924, cULus, NFPA 101 Life Safety Code, NEC, OSHA, Local and State Codes.
----------------------	--

Location Rating:  
Suitable for damp locations

Warranty  
Guaranteed for five years from the purchase date of the product, against mechanical defects in manufacturing. Batteries are pro-rated for two years.

MODEL :		TYPE
PROJECT :		
PREPARED BY :	DATE :	

## ORDERING INFORMATION

Part Number: EXDT1RAEM

EXDT				
SERIES	NO. OF FACES	LETTER COLOR	HOUSING COLOR	OPERATION
EXDT	[1] : Single Face	[R] : Red	[A] : Brushed Aluminum	[BLANK] : A/C Only
	[2] : Double Face	[G] : Green	[W] : White	[EM] : Battery Backup
			[B] : Black	