



CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#:

DESCRIPTION



MWP

The MWP field adjustable mini wallpack is a versatile wall pack packed with a 3in1 field adjustable switch. The fixture is wattage and color selectable. The fixture also comes with a photocell control with a switch to turn on/off in the field.



CONSTRUCTION/ WARRANTY

Application

The mini wall pack is a great choice for both residential and commercial applications where a small, compact, durable fixture is required such as commercial buildings, entryways, walkways.

Housing

Die cast Aluminum

Finish

Bronze Powdercoat

Optics

Ribbed Polycarbonate

Photocell

Integrated photocell with ON/OFF switch.

Dimming

Step dimming via wattage selection switch

Listings


UL listed to US and Canadian safety standards. Suitable for wet locations. For use in ambient operating temperatures ranging from -40°C~+40°C

Warranty

Guaranteed for five years from the purchase date of the product, against mechanical defects in manufacturing.

NOTE: Actual performance may differ as a result of end-user environment and application. All values are design or typical values, measured under laboratory conditions at 25 °C. Specifications subject to change without notice.

LINE DRAWING



APPLICATION AND PERFORMANCE SPECIFICATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION



CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	MODEL#:

ORDERING INFORMATION


Example: MWP-WS-3CS

SERIES	WATTAGE	COLOR TEMP
MWP	[-WS]: 30W,20W,10W	[-3CS]: 3K,4K,5K

LIGHTING SPECIFICATIONS

SERIES	LUMENS	LPW	WATTAGE	VOLTAGE	CRI
MWP	3600	123.96	30	100-277V	70

PHOTOCELL CONTROL



APPLICATION AND PERFORMANCE SPECIFICATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION




CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	


PHOTOMETRIC REPORTS

MWP-WS-5K @10W


Luminous Intensity Distribution Curve



Illuminance at a Distance



IsoLux Plot



APPLICATION AND PERFORMANCE SPECIFICATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION




CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	


PHOTOMETRIC REPORTS

MWP-WS-5K @30W


Luminous Intensity Distribution Curve



Illuminance at a Distance



IsoLux Plot



APPLICATION AND PERFORMANCE SPECIFICATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION