


ISSUE 01 - 2022




Fixture: SLWLEDLED Wide Strip Light
Custom Honeycomb Layout

Location: Farland Corp. Bedford, Massachusetts

542

From quote to finish, and with everything customized, the entire project took two months, and it turned out beautifully. Today, the new Farland Corp facility is viewed as an example of the great work other potential clients can get when they work with CES and Tamlite Lighting.





ISSUE 01 - 2022

CES BRANCH USE ONLY

CONTENTS

A Message From Our Tamlite Product Managers	4
AMCO Manufacturing	6-7
amlite Lighting Facilities	
JSA Proud	9
2022 Tamlite Lighting Line Card	10-1
HORLED High Bay	10
ligh Bay Help Sheet	13
ube Ready Fixtures	18
.ED Panels Help Sheet	19
Backlit Panel Light BLP-CSWS	20
.ED Frame Light TFL Series	2
STVLED Series	2
CLY Series	2
CTAMUFO-CSWS Series	24
mergency Backup for CTAMUFO	2
New TAHLED Series	20
SLWLED Series	2
New Generation RSPLED Series	28-29
RRPL Series	30
RRMUC Series	3
New TRRRT RGBW 24V	32-3
RRRT & TRRRL Series	34-3
RGBW Floodlight	30
W2LEDWSCS LED Wall Pack Series	3
New TAMGRIP Series	38
RM8000-RC Emergency Lighting	39
New LC-WL Series	40-4
2020 Portfolio Farland Corp.	42-43
2020 Portfolio Regal Automotive Group	44-4
2020 Portfolio Wishing Well Children's Clinic	46-47



A message from our Product Managers for Tamlite Lighting USA

Tamlite has evolved exponentially over the past few years. With our recent rebranding, historical factory consolidations, and department expansions we were able to take a huge leap towards being the best lighting supplier for CES. Tamlite is committed to providing more than just great products and great value — We are also committed to providing great service and long-term support for our CES family.

With almost 20 years of combined lighting experience, we have lived and breathed the products within our offering since the start of our careers here at Tamlite. We have been lucky enough to have worked our way up through the In-House Manufacturing Division of Tamlite, which has given us invaluable insight and education regarding how we develop and manufacture products. This factory experience aids us in growing Tamlite to its maximum potential every day. Whether our product is built in our own manufacturing facility here in Florida, or whether it ships from one of our trusted suppliers — Tamlite has the product selection and quality to get the job done - right!


From smaller custom cut LED ribbon tape opportunities — to million-dollar lighting layouts — Our Tamlite Product Team, Manufacturing Team, Quotes, and Projects Departments are all prepared to assist you with any level of inquiry you may have.

This magazine will provide you with our current line card as of March 2022, as well as great information including specific sales flyers and some of our portfolio jobs. Thank you to all of our customers who have supported Tamlite over the years! We look forward to 2022 and beyond.

Sincerely,

James Bell Shawn Cates

-Product Managers for Tamlite Lighting USA





"DID YOU KNOW?"

MANUFACTURING

If you haven't seen the factory in the last 12 months, then you haven't seen the factory. As we've just passed the two-year mark of moving into the new building, we are firing on all cylinders on all fronts and the Production Department is no exception.

TAMCO's Production Department offers a unique in-house, American-made option, through multiple TAMCO brands, to several popular lines.

By leveraging in-house Engineering, and Quality Control departments, TAMCO's Production department manufactures quality lighting and electrical goods exclusively for City Electric Supply, ensuring you're never without options.



A few of the benefits to using your in-house manufacturing option:



• With an average lead time of less than four business days for non-stocked items, you're able to service your customer's needs more quickly.

- TAMCO manufactures a broad lighting product range, complete with site-ready configurations to help give your customer exactly what they need.
- Your in-house brand of manufacturing maintains tight quality standards on raw materials – from LED drivers to coils of steel. Quality standards consist of 100% of LED boards and drivers being tested prior to shipment, and 100% of steel coils used in manufacturing come with a certification of conformity to ensure only quality goods make it to your branch.
- By purchasing TAMCO products manufactured by the Production team, you're supporting American jobs and doing your part to keep America's economy growing by supporting other local American-run businesses.



1,200,000 POUNDS OF STEEL



681,000 SCREWS



68


MILES TRAVELED ON THE LASER



9,600,000 LED CHIPS



322 MILES OF WIRE



6 | Tamlite Lighting 2022 Update

www.tamliteusa.com







411,000 sq. ft. manufacturing and fulfillment facility

Presses




Warehouse



Office



Laser



Assembly



QC Lab



USA PROUD

ASSEMBLED/MADE IN AMERICA



Tamlite Lighting is proud to continue its rich history of manufacturing and assembling many of its products in Port St. Lucie, Florida. These products meet the Made in the USA and Assembled in the USA designation as identified by the FTC.



SL series

With optional symmetrical and asymmetrical reflectors, the SL series strip light is suitable for general-purpose lighting in commercial, industrial, retail, cove, or warehouse applications. Narrow and wide options available.



HORLED2 series

The HORLED2 series high bays are ideal for manufacturing, warehousing, commercial, and industrial facility lighting applications.



HOR series

The HOR series full-body high bays are ideal for manufacturing, warehousing, commercial, and industrial facility lighting applications.



CT series

With an IP67 rating and durable design, the CT series of fluorescent fixtures can be used in food-processing facilities or car washes. Suitable for wet environments.



TC series

The TC series commercial troffer provides all of the benefits of an LED luminaire but with the look of a traditional fluorescent troffer. Designed for general illumination in commercial, industrial, and retail applications.



STVLED series

The STVLED Series is a slim volumetric direct/ indirect troffer with a center light channel providing quality light with modern styling and high visual comfort.



WLS series

With a clean and shallow design, the WLS series wraparound is ideal for general illumination of areas such as hallways, corridors, and commercial and office buildings.



IBLED series

Minimalist design meets modern technology with the IBLED series LED high bay. The unique fanning of the LED board array creates an extra-wide light distribution.

2022 - LINE CARD

TAMLITE

2022 **LINE CARD**

At Tamlite Lighting, we design, manufacture, and source an extensive range of lighting products suitable for a variety of applications, including retail, institutional, hospitality, residential, and industrial spaces. To see our full product offerings, check out our website - WWW.TAMLITEUSA.COM

DIRECT/INDIRECT TROFFERS

















TCLED LED Commercial Troffer Sizes: 2x2, 2x4

STYLED Single Channel LED Volumetric Sizes: 2x2, 2x4

CTIVLED CCT Selectable LED Center Basket Sizes: 2x2, 2x4

CTVLED IDLED Single/Dual Channel LED Center Basket CCT Selectable Sizes: 2x2 LED Volumetric Sizes: 2x2, 2x4

PCLED LED Parabolic Troffer Sizes: 2x2, 2x4

TFL22 T-grid LED Frame Light Sizes: 2x2

FLAT PANELS



TLP Edge-Lit, Single CCT Sizes: 1x4, 2x2, 2x4



Sizes: 2x2, 2x4



Back-Lit, Single CCT



BLP-CSWS Back-Lit, CCT and Wattage Selectable Sizes: 1x4, 2x2, 2x4 Sizes: 1x4, 2x2, 2x4

HIGH BAYS



IBLED Linear, 2ft and 4ft - Wide

Distribution



TAMHLX

HORLED Linear, 2ft and 4ft Linear, 2ft



HOALED

Linear, 4ft -

High Output





TAHLED Spec Grade Linear, 2ft and 4ft

CTAMUFO LED, UFO Highbay

SURFACE MOUNT



CSMLED LED Surface



Surface mount kit for panels and recessed troffers



LED Wall/Ceiling Bracket



LED Medium Canopy

ENCLOSED GASKETED



LED Enclosed

and Gasketed



CTNLED

LED Enclosed

and Gasketed





CTWLED LED Enclosed and Gasketed



CNCFLED Contractor LED Enclosed and Gasketed

STRIP LIGHTS



LED Strip

Narrow



Contractor LED

Strip Narrow



SLWLED

LED Strip Wide





LED Tube Industrial

Strip w/ Reflectors

WLSLED **LED Wraparound** Sizes: 2', 4'

WRAPS



CWLLED Contractor LED Wraparound Sizes: 2', 4'

COMMERCIAL ARCHITECTURAL



RSPLED

Pendant,

Surface

Suspension,

Architectural

Linear - Recessed,





UPDRLED Up/Down Up/Down Architectural Architectural Round Suspension Suspension

HBLED Architectural Linear Suspension

LED DOWNLIGHTS

















Contractor Recessed IC Rated Retrofit **LED Retrofit** Recessed LED LED Retrofit - CCT LED Slim Disk Slim Disk Sizes: 4", 5/6" Sizes: 4", 5", 6" Select - Round Sizes: 3", 4", 6", 8" Sizes: 4", 6" Sizes: 4", 5/6"

LED Retrofit - CCT Select - Square Sizes: 5/6"

ROUGH-IN PLATES







Extended trim

Sizes: 8-10", 8-12"

Pendant Light

for CH8

ROUGH*HB Rough-In Plates

DECORATIVE

Sizes: 4", 6"



LED Vanity Light

Sizes: 24", 36"



for hole cuts







OUTDOOR















LED Sign Light

LED Dusk to Dawn

Dome Top Bollard

Post Top Light

Security Light

Security Light w/ **Motion Sensor**

LED String Light

Path Light







TCOLSS

6W Step Light



Outdoor Step Lights Solar Street Light

UNDERCABINET LIGHTING







LED Under Cabinet LED Under Cabinet Sizes: 12", 20", 40" Sizes: 11", 18", 22", 32"

OUTDOOR/WALL MOUNTED













DSLED

LED Dark Sky







LED Wall Pack

W2LED **LED Wall Pack**

LED Wall Pack

Wall Sconce

WPALED LED Adjustable

AWCLED LED Adjustable Up/Down Cylinder

Vaporproof LED



LED Cyclops Wall Pack

Customer support: 772.878.4944

12 | Tamlite Lighting 2022 Update

www.tamliteusa.com

Card

2022 Line

FLOODLIGHTING



LED Floodlight



MPFLED

LED Floodlight







LED Floodlight



LED Floodlight



LED Bullet

Floodlight

LPFLED

Large Floodlight



Selectable Bullet

Floodlight



LED Sports Light



TCOFLRGBW Bluetooth RGBW Flood Light

RIBBON TAPE











LED Rope Light



4' Aluminum Channel for CSRT

COMMERCIAL DOWNLIGHTS



LED Downlight -CCT Selectable Sizes: 6", 8"



LED Downlight

Sizes: 4", 6", 8"

Fire Rated Housing Sizes: 4", 6"

SURFACE/PENDANT



DCLED Cylinder Light

BATH FANS & DOORBELL KITS

Quiet Bath

Ventilation















Micro Thermoplastic LED Adjustable Adjustable LED



LED Thermoplastic

ABFOCFMA

80-140 CFM

Adjustable CFM



ABFFD11

Fire Damper for

ABF080 & ABF0110

Impact Resistant LED



ABF50-RF

Nutone

Retrofit for Broan/

Door Bell

Chime Kit





Recessed High

EXD Die Cast Aluminum Exit

LED Thermoplastic LED Exit Sign Edge-Lit Exit

Bath Ventilation

with Light

Thermoplastic LED Exit Combo Unit

SLXPC Square LED Mini Thermoplastic Exit Combo Unit

LXWTC LED Thermoplastic Exit Combo Unit

Mini Wet-Location Wet Location LED LED Exit Combo Unit Exit Combo Unit





50' Visibility

Photoluminescent

with Emergency



Combo Unit

LED Strip Light Exit 6" Recessed



Square Remote **Emergency Light** Head Indoor



LSRH-WP Square Remote Head Wet Location



Thermoplastic Wet Location LED Remote Heads





Single Double

Faced Exit

LED Waterproof **Emergency Light**

Customer support: 772.878.4944



Slim LED Wall Pack Fluorescent Ballast



LED Emergency

Round Wet Location Multi-voltage LED



The HORLED is Made in the USA and better than ever.

★ Higher lumens per watt ★ Occupancy sensor available

★ Emergency backup available

Features:

- Up to 133 lm/W with lens, 157 lm/W without lens
- · Removable lens
- Dimmable
- 50,000-hour life
- · Aircraft cable included
- 120-277V



EXAMPLE: HORLED2-130D10L840

LUMENS	LENS	CRI	COLOR TEMP.	OPTIONS	EMERGENCY BACKUP
[-130D1]: 13000lm	[0]: Opaque	[L8]: CRI±80	[40]: 4000K	[Blank]: No Options	[BLANK]: No Options
[-200D1]: 20000lm			[50]: 5000K	[-OS]: Occupancy Sensor	[-EM]: 10% EM light
[-270D2]: 27000lm			5-5-5	2 2 2/2	25 25 35
[-37002]: 37000lm					
	[-13001]: 13000lm [-20001]: 20000lm [-27002]: 27000lm	[-130D1]: 13000lm [0]: Opaque [-200D1]: 20000lm [-270D2]: 27000lm	[-130D1]: 13000lm [0]: Opaque [L8]: CRI±80 [-270D2]: 27000lm	[-130D1]: 13000lm [0]: Opaque [L8]: CRI±80 [40]: 4000K [50]: 5000K [-270D2]: 27000lm	[-130D1]: 13000lm [0]: Opaque [L8]: CRI±80 [40]: 4000K [Blank]: No Options [-200D1]: 20000lm [50]: 5000K [-0S]: Occupancy Sensor

*Higher lumen available upon request.





LED HIGH BAY HELP SHEET















		IBL	ED				HOR	LED2			TA	MHLX	
Focus													
Stock		39	*)				,	*				***	
Project		**	*					**				***	
Mounting													
Surface		Ý	1				- 8	Υ				Υ	
Suspended		Ŋ					- 6	Y				Y	
Pendant		Y					9	Y				γ	
Sizes		4ft - L	inear				2	x2				×.	
Features & Pe	rformance												
Wattage	75	150	200	225	375	100	150	200	300	110	165	220	300
Lumens	10,000	15,000/ 17,500/ 20,000	25,000	30,000	50,000	13,000	20,000	27,000	37,000	13,000	20,000	27,000	36,500
CCT		35K, 4	K, 5K				35K,	4K, 5K				5K	
DLC		1	1					N				Υ	
NSF			l				i i	N				N	
BAA		Ý	,				77	Y				N	
EMBU		Factory	Install				Factor	y Install			Facto	ry Install	
OC Sensor		Factory	Install				Factor	y Install			Facto	ry Install	
Wire Guard		,					- 6	N				N	

	n	CTA	MUFO			TAH	ILED			HOR	LEDT	
Focus												
Stock			**				÷		***			
Project			••				**					
Mounting												
Surface		0	Y				Ý			3	Y	
Suspended		9	Υ				Ý				Y.	
Pendant		2	Υ		Y			γ				
Sizes		Ro	und			2ft, 4ft	- Linear			4ft- L	inear	
Features & Per	formance											
Wattage	100	150	200	240	80	135	155	200		18W LE	D TUBE	
Lumens	13,200	20,000	26,240	30,975	13,000	20,000	24,000	34,000	8,800	13,200	19,800	28,600
CCT		5K				4K	, 5K			35K, 4	4K, 5K	
DLC		9	Y			N			Ñ			
NSF		i i	N				N			1	N	
BAA		i i	N				Y			3	Y	
EMBU		Field	Install			Factor	y Install			Factory	/ Install	
OC Sensor		Field	Install			Factor	y Install			Factory	/ Install	
Wire Guard		31	N				N				Y	



LED Tube ready fixtures are the perfect low-maintenance product for your contractors

Low Maintenance Fixtures

These fixtures offer the flexibility of having LED tubes pre-installed at the factory.*

Plus, get the added convenience of replacing the tubes without having to replace the fixture.



*Ask factory for details.

BLP & TLP SERIES

HELP SHEET

BLP Series

This new LED back-lit panel brings a refreshing replacement to standard edge-lit panels. These back-lit units are lighter, brighter, and more efficient than standard edge-lits, while providing the same edge-to-edge light diffusion.

TLP Series

The TLP series edge-lit LED flat panels are a great energy saving long-life lighting solution. The low profile modern design makes it ideal for use in airport, retail, education, and commercial office buildings.

		BLP	BLP-CSWS	TLP	TLPCSD
FOOLIO	Stock	**	***	**	***
FOCUS	Project	***	**	***	**
MOUNTING	Surface	YES	YES	YES	YES
	Recessed	YES	YES	YES	YES
	Sizes	1x4, 2x2, 2x4	1x4, 2x2, 2x4	1x4, 2x2, 2x4	2x2, 2x4
	Wattage (max)	50	50	50	50
FEATURES &	Lumens (max)	6300	5500	5000	5000
PERFORMANCE	CCT	35k/4k/5k	35k/4k/5k (CCT Select)	35k/4k/5k	35k/4k/5k (CCT Select
	DLC	YES	YES	YES	YES
	EM Back Up	Pre-installed	Pre-installed	Factory Install	NO





The Flexibility of the BLP-CSWS Series is what today's Contractor wants


The new back-lit panel units are lighter, brighter, and more efficient than standard edge-lits, while providing the same edge-to-edge light diffusion.

BLP-CSWS is now available with pre-installed emergency backup and is in stock!









SERIES	SIZE	COLOR TEMP	WATTAGE	DIMMING	EMERGENCY BACKUP
	[14]: Y x 4	[-CS]: 3500K/4000K/5000K	[WS]: 25/30/36W		
BLP	[22]:2×2	[-CS]: 3500K/4000K/5000K	[WS]: 25/30/36W	[-DIM] : Dimming Option	[-EM] : Emergency Option
	[24]:2×4	[-CS]: 3500K/4000K/5000K	[WS]: 40/45/50W		

LED FRAME LIGHT

The TFL series LED Frame Light combines a modern design with outstanding lighting performance. It's great as a replacement for traditional troffers or LED panels.











With its uniformity and reduced glare, the LED Frame Light is ideal for healthcare facilities, retail buildings, and schools.

The LED Frame Light comes with high-quality LED chips that provide high-efficiency, heat dissipation, stability, and lumen maintenance. Its ultra-thin design fits into virtually any space without disrupting the existing decor.

Features

- · Remote mount driver
- 1-10V dimming
- · Lens delivers unique beam angle and reduces glare
- · Super lightweight construction means easy installation
- · High-quality LED chips
- · Rubber grommet included on low voltage cord

- 6FT-Low Voltage Extension Cord | TFL-EXT-6FT
- . T-Bar Mounting Bracket | TBAR-BRKT





TFL22 0544-7643 TFL22-4040D-DIM 0544-7640 TFL22-4050D-DIM more info

Technical Specification

Voltage	Lumen Output	Wattage	Efficacy	Beam Angle
120-277V	4500 lm	40W	105 lm/W	7Hx6V

Ordering Matrix

Series	Size	Wattage	Color Temp.	Dimming Option
		[400]:4000K		
TFL	[22]:Zx2	[-40]:40W	[500]:5000K	[-DIM] : DIMMABLE

INTRODUCING STVLED SERIES

The STVLED Series is a slim volumetric direct/indirect troffer with a center light channel providing quality light with modern styling and high visual comfort.



STYLED SERIES

Features

- · Slim profile
- · BAA Compliant
- · Damp location rated
- · Made in USA





Ordering matrix

Fyample: STVI FD22-40011 840

Series	Size	Lumen Output	Number Of Drivers	CRI	Color Temp	Options	Finish	Emergency
STVLED	[22]: 2' x 2' [24]: 2' x 4'	[40]: 4000lm [60]: 6000lm [80]: 8000lm (8000lm only offered in 2x4)	[D1]: 1 Driver	[8]: CRI+/-85	[40]: 4000K [50]: 5000K	[WC8-515]: Cord- 6'SJ-515 Straight Plug	{Blank}: White [BK]: Black	[EM]: 10% Emergency Output

CLY6-CCTA/WH **BULK DISCOUNTS** STARTING AT 120PCS! Contact us for competitive pricing!



6" Color Selectable Low Profile LED Down Light

The CLY series features an ultra low-profile design that meets contractors' needs. The detachable junction box allows for more freedom of installation during remodels and new construction. Color selectable switch on driver.



Ordering matrix

EXAMPLE: CLY6-CCTA/WH

SERIES	SIZE	COLOR TEMP.	COLOR
CLY	[6]:6"	[-CCTA]: 3000K/4000K/5000K	[/WH]:WHITE



NEW GENERATION!Upgraded features & performance!

Reduce your SKU's and INCREASE your selling power! The newly re-designed CTAMUFO series offers new selectable features and an optional sensor.

This unit is designed with selector switches for Wattage and Color Temperature.

WATTAGE SELECTABLE

150W - 80W/110W/150W **240W** - 180W/200W/240W

COLOR SELECTABLE BETWEEN 4000K AND 5000K

EXAMPLE: CTAMUF0150W-CSWS

SERIES	WATTAGE & CCT (SELECTABLE)	OPTIONS
fortunico1	[150W-CSWS]: 80W/110W/150W - 4000K/5000K	[Blank]: Black housing
[CTAMUFO]	[240W-CSWS]: 180W/200W/240W - 4000K/5000K	[-WH]: White housing

^{*}These units can not be connected to a dimming device when it's equipped with a Motion Sensor.

Accessories



CTAMUFO-SENSOR-MW • 0582-9393
MICROWAVE SENSOR FOR CTAMUFO-GSWS

CTAMUFO-SENSOR-PIR • 0588-0699
PIR SENSOR FOR CTAMUFO-CSWS



CTAMUFO-REMOTE • 0582-9405



CTAMUF0150W-LENS • 0587-3268 REFLECTOR FOR 150W CSWS UF0

CTAMUFO240W-LENS • 0587-3265 REFLECTOR FOR 240W CSWS UFO



CTAMUF0150W-WG • 0582-7014
WIRE GUARD FOR 150W CSWS UFD

CTAMUFO240W-WG • 0582-7017 WIRE GUARD FOR 240W CSWS UFO



CTAMUF0100-150EM • 0546-0372 EM BACKUP FOR THE CTAMUF0150W

CTAMUF0200-240EM • 0546-4476 EM BACKUP FOR THE CTAMUF0240W



CTAMUFOCSWS-NPT • 0582-9657 3/4" NPT ADAPTER FOR CTAMUFO-CSWS EMERGENCY BACKUP DRIVER for the CTAMUFO Series

The emergency LED driver contains a control/monitor circuit, which will perform a **30-second discharge test once a month and a fully discharge test once a year**. At this time, the unit simulates an AC power failure and automatically switches to emergency mode. During routine testing, the unit will monitor the operation of the LED load, battery voltage, and emergency duration. If the unit detects any problems, the indicator will flash quickly.

Features

- UL Listed for US and CANADA
- Listed to UL924 and tested to CSA C22.2 N0.141 Field or factory installation
- · High-output voltage
- · Low energy consumption CEC Title20 compliance
- · Constant output power
- · Self-testing
- · Battery: over temperature protection

Models

Emergency Power: 25W

CTAMUF0100-150EM

Used for the CTAMUF0100W850 and CTAMUF0150W850

Emergency Power: 40W
CTAMUF0200-240EM

Used with the CTAMUF0200W850 and CTAMUF0240W850







Indicator Light

- Normal AC Operation, indicator light will stay on
- Emergency Operation, indicator light will flash slowly (light on for 2 seconds, light off for 2 seconds)
- In a failure, indicator light will flash quickly (light on for 0.2 seconds, light off for 0.2 seconds)

Test Swite

- In normal AC operation, press the test switch once to enter emergency mode for 30 seconds.
- In normal AC operation, press the test switch within 2 seconds to enter and remain in emergency mode until the battery is fully discharged.
- While in emergency operation, press the test switch once to return back to normal AC operation.

AVAILABLE IN 4' AND 8' OPTIONS







SERIES	SIZE & LUMEN OUTPUT	CRI	COLOR TEMP	FINISH
[TAHLED2] - 2ft	[-13001]: 13,000Lm [-20002]: 20,000Lm [-24002]: 24,000Lm		[40]: 4000K	[Blank]: White [BK]: Black*
[TAHLED4] - 4ft	[-130D1]: 13,000Lm [-200D2]: 20,000Lm [-360D2]: 36,000Lm	[L8]: CRI+/-85	[50]: 5000K	[GY]: Grey* [CC]: Custom Color

^{*}MOQ Required- Please contact factory for details.



CUSTOM HONEYCOMB LAYOUT

Wire Way Specific Fixture

The SLWLED wide strip series is suitable for general purpose lighting in a wide variety of environments, such as commercial, industrial, retail, or warehouse lighting applications.

This fixture can be installed in a unique honeycomb grid pattern, which will add visual lighting interest to your space.














⁻ Higher Lumen and High Temperature components available upon request - Please contact factory for details.

⁻ Emergency Backup field install kits available separately.



RSPLED Series: Ordering Information

RSPLED Series: Cable Mounting

Example: RSPLED24-40D1C01L830

SERIES	SIZE & LUMEN OUTPUT	MOUNTING OPTION	LENS	CRI	COLOR TEMP	OPTIONS	FINISH
RSPLED	[22-2001]: 2" x Z 2000Lm	[C]: Cable Mounted	[Blank]: No Lens	[L8]; CRI+/-85	[30]: 3000K	[Blank]: No Options	[Blank]: White (Standard)
	[24-4001]; 2" x 4' 4000Lm		[01]: Acrylic		[35]: 3500K	[-EM]: Emergency Backup	[BK]: Black
	[26-60D1]: 2" x 6 6000Lm				[40] : 4000K	[U30]: 30% Up Light	[GY]: Grey*
	[28-80D2]: 2" x 8' 8000Lm				[50]:5000K	[U50]: 50% Up Light	[EG]: Custom Engraving*
						[U100]: 100% Up Light	[HD]: Hydro-Dipped*
							[CC]: Custom Color*

^{*}MOQ Required- Please contact factory for details.

RSPLED Series: Pendant Mounting

Example: RSPLED28-80D2P01L830

SERIES	SIZE & LUMEN OUTPUT	MOUNTING OPTION	LENS	CRI	COLOR TEMP	OPTIONS	FINISH
RSPLED	[22-2001]: 2" x 2' 2000Lm	[P]: Pendant Mounted	[Blank]: No Lens	[L8]: CRI+/-85	[30]:3000K	[Blank]: No Options	[Blank]: White (Standard
	[24-4001]: 2" x 4' 4000Lm		[01]: Acrylic		[35]: 3500K	[-EM]: Emergency Backup	[BK]: Black
	[26-60D1]: 2" x 6 6000Lm				[40]: 4000K	[U30]: 30% Up Light	[GY]: Grey*
	[28-80D2]: 2" x 8' 8000Lm				[50] : 5000K	[U50]: 50% Up Light	[EG]: Custom Engraving*
						[U100]: 100% Up Light	[HD]: Hydro-Dipped*
							[CC]: Custom Color*

 $[\]ensuremath{^{*}\text{MOQ}}$ Required- Please contact factory for details.

RSPLED Series: Hard-lid & T-Grid Recessed Mounting

Example: RSPLED24-40D1R01L830

SERIES	SIZE & LUMEN OUTPUT	MOUNTING OPTION	LENS	CRI	COLOR TEMP	OPTIONS	FINISH
RSPLED	[22-20D1]: 2" x 2 2000Lm	[R]: Recessed Hard-lid Mounted	[Blank]; No Lens	[L8]: CRI+/-85	[30]:3000K	[Blank]: No Options	[Blank]: White (Standard)
	[24-4001]; 2" x 4' 4000Lm	[G]: Recessed Grid Mounted	[01]; Acrylic		[35]: 3500K	[-EM]: Emergency Backup	[BK]: Black
	[26-60D1]: 2" x 6' 6000Lm				[40]: 4000K		[GY]: Grey*
	[28-8002]: 2" x 8' 8000Lm				[50]:5000K		[EG]: Custom Engraving*
							(HD): Hydro-Dipped*
							[CC]: Custom Color*

^{*}M00 Required- Please contact factory for details.

RSPLED Series: Surface/Wall Mounting

Example: RSPLED26-60D1W01L830

SERIES	SIZE & LUMEN OUTPUT	MOUNTING OPTION	LENS	CRI	COLOR TEMP	OPTIONS	FINISH
RSPLED	[22-20D1]: 2" x 2 2000Lm	[W]: Surface Wall Mounted	[Blank]: No Lens	[L8]: CRI+/-85	[30]:3000K	[Blank]: No Options	[Blank]: White (Standard)
	[24-4001]; 2" x 4' 4000Lm	10000	[01]: Acrylic		[35]: 3500K	[-EM]: Emergency Backup	[BK]: Black
	[26-60D1]: 2" x 6" 6000Lm				[40] : 4000K		[GY]: Grey*
	[28-8002]: 2" x 8' 8000Lm				[50]:5000K		[EG]: Custom Engraving*
							[HD]: Hydro-Dipped*
							[CC]: Custom Color*

^{*}M00 Required- Please contact factory for details.

Joiner/angle brackets and other custom layouts available by contacting our Quotes department.

Joiner/angle brackets and other custom layouts available by contacting our Quotes department.

PLUG & PLAY

UNDERCABINET LIGHTING

LED Slim Puck Lights fit almost any accent lighting application with easy plug-and-play connectivity.



TRRPL SERIES

Features

- · Ideal for task lighting, cabinets, and display cases
- · Durable aluminum die-casting with acrylic lens
- · High brightness SMD2835 LED
- · White aluminum with frosted acrylic lens
- Dimmable via optional in line dimmer

Ordering matrix

SERIES	COLOR TEMP.	FINISH
TRRPL	[30]: 3000K [40]: 4000K	WH : White

Optional Accessories



TRRPL-PIR-SENSOR
PIR SENSOR FOR TRRPL



TRRPL-DIMMER

PIR SENSOR FOR TRRPL
PUCK LIGHT WHITE

IN LINE DIMMER FOR TRRPL
PUCK LIGHTS WHITE



TRRPL-36WD

36W 24V DRIVER FOR TRRPL PUCK LGT WHITE



TRRPL-4WAY

4 WAY SPLITTER WHITE



TRRPL-8WAY

8 WAY SPLITTER WHITE



TRRPL-CC

CONNECTOR CABLE FOR TRRPL SERIES PUCK LT LENGTH: 40"



TRRPL-CCFM FEMALE TO MALE

LENGTH: 40"

LEARN MORE
About Undercabinet
Lighting





Accessories



TRRMUC-FCC



TRRMUC-BC TRRMUC-CC

TRRMUC-MS TRRMUC-TD

FEATURES

- Linkable with accessories
- Low-profile
- Lightweight
- Easy-to-mount
- 50,000-hour life

Fixture

TRRMUC-DS

Part Number	Stock Code	Description	Color Temp.
TRRMUC1205WH	0542-5245	12* 5W Mini Under Cabinet White	3K
TRRMUC1205WH-4K	0549-5889	12" 5W Mini Under Cabinet White	4K
TRRMUC2008WH	0542-5248	20" 8W Mini Under Cabinet White	3K
TRRMUC2008WH-4K	0549-5901	20" 8W Mini Under Cabinet White	4K
TRRMUC4015WH	0542-5251	40" 15W Mini Under Cabinet White	3K
TRRMUC4015WH-4K	0549-5904	40" 15W Mini Under Cabinet White	4K

Accessories

Part Number	Stock Code	Description
TRRMUC-48WD	0542-8224	48W Driver
TRRMUC-AB	0542-8218	Adjustable Brackets
TRRMUC-BC	0542-8203	Butt Connector
TRRMUC-CC	0542-8227	1-Meter Connector Cable
TRRMUC-DS	0542-8221	Double Sensor
TRRMUC-FCC	0542-8206	Flat Corner Connector
TRRMUC-MS	0542-8212	Master Switch
TRRMUC-TD	0542-8209	Touch Dimmer



Features

- · Dimmable with controller
- 16-foot length
- · Available in wet or dry location options
- · Able to run 32 feet off of 170W driver
- 1-year limited warranty



Applications

Since the TRRRT RGBW 24v is available in wet/dry location options, this makes it great for residential, commercial, under cabinets, showcases, and cove lighting.

Ordering Information

EXAMPLE: TRRRT16KIT-RGBNW-WET

SERIES	COLOR KITS	COLOR TEMP	LOCATION
TRRRT16KIT	[-RGB]: COLOR CHANGE	[WW]: 3000K [NW]: 4000K	[BLANK]: DRY IP20 [-WET]: WET IP65

EXAMPLE: TRRRT16R-RGBNW

SERIES	16 FT REELS	COLOR TEMP	LOCATION
TRRRTI6R	[-RGB]: COLOR CHANGE	[WW]: 3000K [NW]: 4000K	[BLANK]: DRY IP20 [-WET]: WET IP65



TRRRT RGBW 24v Accessories





2" SPLICE CONN CBL 5 PIN



TRRRT6SC 0549-5763

6" SPLICE CONN CBL 5 PIN



TRRRT12SC 0549-5769

12" SPLICE CONN CBL 5 PIN



TRRRT24SC 0549-5772

24" SPLICE CONN CBL 5 PIN



TRRRT4FTSC 0549-5775

4FT SPLICE CONN CBL 5 PIN



TRRT8FTSC 0549-5778 8FT SPLICE CONN CBL 5 PIN



0549-5826 BUTT SPLICE CONN 5 PIN



TRRRT-2WAY 0549-5784

2 WAY SPLICE CONN CBL 5 PIN



TRRRT70DWT 0549-5790

70W DIMMABLE DRIVER FOR TRRRT RGBW SERIES



TRRRT70WDRIVER 0549-5787

70W 24V DRIVER FOR TRRRT RGBW SERIES



TRRRT-BT 0549-5796

BLUE TOOTH RECEIVER/REMOTE FOR TRRRT SERIES



TRRRT-RF 0549-5805

RF RECEIVER AND REMOTE FOR TRRRT SERIES



TRRRT-ALEXA CONTROL 0549-5799

ALEXA CONTROL FOR TRRRT SERIES



TRRRT Series


The TRRRT series is an expandable IP65 rated LED Tape light for outdoor and wet location jobs. Available in 13', 49', and 164' lengths with expansion capabilities to 164'. The TRRRT series is extremely versatile.

Features

- · Flexible allowing for multiple applications
- · Wet Location Rated
- . TRRRT- Linkable up to 164ft
- TRRRT RGB Linkable up to 156ft

TRRRT Series (Tape Light) Cool White (5500k) Warm White (2700k)





TRRRL Series

The TRRRL series is an expandable IP65 rated LED rope light for outdoor and wet location jobs. Available in 12', 48', and 150' lengths with expansion capabilities to 150'. The TRRRL series is extremely versatile.

Features

- · Flexible allowing for multiple applications
- · Wet Location Rated
- TRRRL Linkable up to 150ft
- TRRRL RGB Linkable up to 96ft

TRRRL Series (Rope Light) Cool White (6500k) Warm White (2700k)





TRRRT RGB Series (Rope Light)









120V TRRRT RIBBON & TRRRL ROPE LIGHTS

TRRRL Series (Rope Light - Cool/Warm White)

PART NUMBER	STOCK CODE	DESCRIPTION
TRRRL-120V-12FT-CW	0551-4762	LED ROPE LIGHT 120V 12FT COOL WHT
TRRRL-120V-12FT-WW	0551-4753	LED ROPE LIGHT 120V 12FT WARM WHT
TRRRL-120V-48FT-CW	0551-4765	LED ROPE LIGHT 120V 48FT COOL WHT
TRRRL-120V-48FT-WW	0551-4756	LED ROPE LIGHT 120V 48FT WARM WHT
TRRRL-120V-150FT-CW	0551-4768	LED ROPE LIGHT 120V 48FT COOL WHT
TRRRL-120V-150FT-WW	0551-4759	LED ROPE LIGHT 120V 150FT WARM WHT

TRRRL RGB Series (Rope Light - Color Selectable)

PART NUMBER	STOCK CODE	DESCRIPTION
TRRRL-120V-12FT-RGB	0551-4771	LED ROPE LIGHT 120V 12FT RGB
TRRRL-120V-48FT-RGB	0551-4774	LED ROPE LIGHT 120V 48FT RGB
TRRRL-120V-96FT-RGB	0551-4777	LED ROPE LIGHT 120V 96FT RGB


TRRRT Series (Tape Light - Cool/Warm White)

PART NUMBER	STOCK CODE	DESCRIPTION
TRRRT-120V-13FT-CW	0551-4789	LED RIBBON TAPE 120V 13FT COOL WHT
TRRRT-120V-13FT-WW	0551-4780	LED RIBBON TAPE 120V 13FT WARM WHT
TRRRT-120V-49FT-CW	0551-4792	LED RIBBON TAPE 120V 49FT COOL WHT
TRRRT-120V-49FT-WW	0551-4783	LED RIBBON TAPE 120V 49FT WARM WHT
TRRRT-120V-164FT-CW	0551-4795	LED RIBBON TAPE 120V 164FT COOL WHT
TRRRT-120V-164FT-WW	0551-4786	LED RIBBON TAPE 120V 164FT WARM WHT

TRRRT RGB Series (Tape Light - Color Selectable)

PART NUMBER	STOCK CODE	DESCRIPTION
TRRRT-120V-13FT-RGB	0551-4798	LED RIBBON TAPE 120V 13FT RGB
TRRRT-120V-49FT-RGB	0551-4801	LED RIBBON TAPE 120V 49FT RGB
TRRRT-120V-164FT-RGB	0551-4804	LED RIBBON TAPE 120V 164FT RGB







Features

- · Bluetooth wireless connection
- 16 different colors of lights available
- · 4 Modes: Scenes include flash, strobe, fade, and smooth
- · Memory function recalls the color of your last setting
- · High-quality durable housing with rugged aluminum case cover and efficient cooling structure

Phone App

- · Link multiple units together in App
- · Phone App controls colors



DOWNLOAD THE

APP TODAY!

Ordering information

ALEXANDER PROPERTY OF THE PROP		4	4
PART NUMBER	STOCK CODE	DESCRIPTION	DRIVER
TCOFLRGBW530BK-60	0552-0096	30W RGBW Flood Light with 60° optics black body yoke mount.	100-277VAC 50/60Hz

Wattage and Color Selectable W2LEDWSCS SERIES **LED WALL PACK**

The W2LEDWSCS wall pack switches between color temperature and wattage, making your lighting configuration possibilities endless. This LED wall pack is best suited for outdoor applications such as facade, parking garage, and walkway lighting.



- Wattage: 20W/40W/60W/80W
- Color Temp: 3000K/4000K/5000K
- 3 1/2" Coin plugs with 0-rings for conduit entry
- · Corrosion-resistant stainless steel hardware
- Durable bronze or white powder-coat finish

W2LED is also available in white color option








W2 VISOR

W2 VISOR WH

SERIES	WATTAGE	COLOR TEMP	BODY COLOR
W2LED	[WS] : Selectable 20W/40W/60W/80W	[CS] : Selectable 3000K/4000K/5000K	[BLANK] : Bronze
			[WH] : White

TAMGRIP SERIES SUSPENSION CABLES & KITS





TAMGRIP SERIES

The TAMGRIP Series applications include warehouses, industrial facilities, conference rooms, reception areas, retail, and where suspension wire mounting is required.



Cable Diameter



40lbs

Suspension Wire 304 Stainless Steel



Slide Locks & Fasteners Brass plated in nickel

TAMGRIP-10FT-KIT ALL IN ONE, 10FT HANGER KIT

0553-3296



TAMGRIP-10FT-Y-TOG 10FT HANGER, Y SPLITTER DOUBLE TOGGLE

0553-3305



TAMGRIP-10FT-LOOP 10FT SUSPENSION CABLE, LOOP END, GRIPPER

0581-8029



TAMGRIP-SLIDE LOCK CABLE SLIDE LOCK (GRIPPER)



TAMGRIP-20FT-LOOP 20FT SUSPENSION CABLE, LOOP END, GRIPPER

0582-5034



TAMGRIP-SLIDE LOCK-CLIP CABLE SLIDE LOCK W/CLASP

0581-8032





FEATURES

- . Slim type design, constructed of aluminum alloy
- Two fully adjustable high-lumen 2.5W LED lamp heads, 400 lumens
- Remote capable with LSRH1/LSRH2 Series or WRLRH1/WRLRH2 Series
- · Color Temp 5000K
- · Emergency illumination of 90 minutes
- · Suitable for damp locations



PART NUMBER	HOUSING COLOR	OPTIONS
RM800	Blank: Aluminum	RC: Remote Capable

NEW!

LC-WL SERIES

WIRELESS LIGHTING CONTROLS

Your wireless lighting solution is here! Bluetooth lighting controls - when paired with LED technology, provides maximum energy savings potential. Control multiple lighting applications with your mobile phone. Scan the QR code to download the App today!



Daylight Harvesting - Automatically dim lights when enough daylight is present. This can save 10% to 60% percent in electricity costs.



Time Clock Scheduling - Automatically dim or turn lights off at select times of the day. Reduce electricity costs by 10% to 35% by ensuring lights are not wasting energy when they are not needed.



High-End Trim - All spaces do not need the full brightness of their light fixtures. For example, the human eye notices only a small difference between 100% and 80% brightness, and the electricity usage and cost can be reduced by 20% or more.




Occupancy Sensing - Occupancy sensors automatically turn off or dim due to the lack of movement in a space. Bluetooth wireless technology allows sensors to be installed in minutes with no additional wiring. These are also ideal solutions for retrofit applications. Sensors can reduce lighting/electricity use from 15% to 60%.



Personal Control - This allows individuals to control the full range of light dimming directly over their workstations. This often results in energy savings of 10% or more while improving productivity, reading eye strain, and computer glare.







WIRELESS LIGHTING CONTROLS



Wireless Controls - Bluetooth



LC-WL-BT01 • 0554-6403
BLUETOOTH MESH POWER PACK



LC-WL-BT02 • 0554-6412
BLUETOOTH WIRELESS WALL SWITCH



LC-WL-BT03 • 0554-6418
PREMIUM BT MESH POWER PACK/SENSOR



LC-WL-BT04 • 0554-6424 OC SENSOR FOR LC-WL-BT01

Wireless Controls - EnOcean 902MHZ



LC-WL-E901 • 0581-1972 0-10V 5A FIXTURE CONTROLLER, 100-277VAC



LC-WL-E902 • 0581-1975 SINGLE ROCKER DECORATOR STYLE



LC-WL-E903 • 0581-1978 DUAL ROCKER DECORATOR STYLE



LC-WL-E904 • 0581-7999 OCCUPANCY SENSOR, HIGH BAY,



LC-WL-E905 • 0581-2002 MOTION DETECTOR WITH ILLUMINATION SENSOR



LC-WL-E906 • 0581-2005 8-CHANNEL LOW VOLTAGE RELAY RECEIVER



LC-WL-E907 • 0581-2008 600W PHASE CUT DIMMER: ER6CD-AU-277



LC-WL-E908 • 0581-2011 600W PHASE CUT DIMMER: ER6CD-AU-120



LC-WL-E909 • 0581-2014 CONSTANT VOLTAGE LED DIMMER WITH FLYING



LC-WL-E910 • 0582-5433 0-10V 20A AREA CONTROLLER, 100-277VAC



LC-WL-E911 • 0582-7731 15A SPLIT DUPLEX SWITCHED RECEPTACLE 902 MHz





LC-WL-E913 • 0583-2846 MOBILE APP GATEWAY - REMOTE COMMISSION

Farland Corp.

Bedford, Massachusetts

Bedford, MA City Electric Supply recently worked with the Farland Corp. to update its office space lighting to create a more inviting atmosphere.

CES District manager Jeremy Higgins worked with the Farland Corp. to understand their vision and goals for the space to ensure the right fixtures were chosen. After speaking with CES VP of Operations, Jaime Marujo, Higgins chose to present a custom option similar to a layout at TAMCO Group's corporate office.

"Jaime had just come back from a tour of the facility and saw how they did the layout and the crisscross patterns," said Higgins. "The Farland team loved the look, and we immediately went to work with Tamlite Lighting to create the perfect lighting layout."

Higgins went on to share that Tamlite was dedicated to the project and showed meticulous attention to detail every step of the way.


"I think what people might not know about Tamlite is that they have the ability to do custom stuff like this," said Higgins. "Outside vendors usually have a catalog, that's it. Tamlite customized everything we needed down to the tiniest measurements."

From quote to finish, and with everything customized, the entire project took two months, and it turned out beautifully. Today, the new Farland Corp. facility is viewed as an example of the great work other potential clients can get when they work with CES and Tamlite Lighting.

Tamlite Lighting fixtures bring more than light to the environment; they enhance the architectural design and bring ambiance to the most simplistic space.

A. SLWLED LED Wide Strip Light Custom Honeycomb Layout





Regal Automotive Group

Lakeland, Florida

Established in 1976 by Sal Campisi, Sr., Regal Automotive Group of Lakeland, FL, operates two well-known automotive dealerships, Regal Chevrolet and Regal Kia, where they sell Chevy, GMC, Honda, Acura, and Kia.

In today's competitive automotive market, lot lighting can have a significant impact on a customer's buying decision. This means the company's choice to upgrade both dealership lots from HID to LED lighting would directly impact its bottom line.

Lewman Electric, an electrical contractor and longtime customer of the CES Lakeland branch, worked with Branch Manager Bob Davis to create a customized lighting package to ensure the client's needs were met. "Lewman Electric has been a customer for nine years, over which time we provided products for hundreds of jobs. The Tamlite Lighting flood made the most sense for this project," said Davis. "We are thrilled that Mr. Campisi is happy with the lighting products."

This project utilized the LPFLED in 230W 5K and 300W 5K from Tamlite Lighting. This lighting configuration accentuated the color and features of the vehicles, reduced uneven lighting across the lot, and offered enhanced security. The LED technology of the lighting not only improved the parking lot, but its energy efficiency and longevity will save Regal Automotive more money in the long run.

"We absolutely love the results of the upgrade and look forward to outfitting more dealerships in the future," said Campisi, Sr.

A. LPFLEDLarge Flood Light





Wishing Well Children's Clinic

Katy, Texas

The Wishing Well Children's Clinic located in Katy, TX, was designed to be a welcoming, fun, and bright environment that would put children and their parents at ease. To achieve this, J.A. Greene Construction understood that proper lighting was imperative. The desired light would need to complement the design by mimicking natural light in the appropriate spaces while providing optimal light for visibility and safety.

"The LED lighting for this project was especially important for three main reasons: the high ceilings called for proper foot candles as small children would be running around; exam rooms needed to be brightly lit for proper examinations; and, most importantly, the hand-painted murals on walls throughout the practice needed to be properly illuminated, as the characters represented provided the doctor with the inspiration needed to open her practice," said Jonathan Greene J.A., President of J.A. Greene Construction.

"At Wishing Well Children's Clinic, you could say the lighting was paramount, and Tamlite Lighting was the clear solution."

Products Used

TM24C-CL/WH FLED7.5R20840 DL104 TLP22 TLP24-5040D-DIM2-W



3 0





A. FLED7.5R20840 7.5W LED R20 840 DIM



A. DL104
IC-Rated New Work Can




B. TLP22 2x2 LED Flat Panel



C. TLP24-5040D-DIM2-W 2x4 LED Panel 50W 4K











TECHNICAL SUPPORT TAMLITE LIGHTING info@tamliteusa.com

GET A QUOTE Quotes@tamliteusa.com

CES BRANCH USE

TAMCO 11675 SW TOM MACKIE BLVD, PORT ST. LUCIE, FL 34987

t. 772.878.4944

customer.service@tamcogroup.com www.tamcogroup.com tamliteusa.com



