| | |
|---|---|
| PROJECT: | |
| LOCATION: | |
| MODEL#: | TYPE: |
| CLIENT: | QTY: |
| PREPARED BY: | DATE: |

# IC806

## SERIES SPECIFICATIONS

**Tamlite Lighting's IC806 is designed for sloped new construction installations. Suitable for use in ceilings where the housing can be in direct contact with insulation. Airtight construction reduces energy costs by reducing the amount of air leakages through the ceiling.**

**Max lamp wattage: 75W R/PAR30, 60W A19**

**7 1/2" height allows use in 2" x 8" construction**

**Bar Hanger**
**Designed to fit T-Bar spine without additional clamps for drop ceiling usage. Triangulated bar hangers with nails and leveling tab on the footprint.**

**Knockouts**
**(6) 1/2" , (1) 3/4"**

**Pryouts**
**(4) Romex pryout with strain relief**

**Housing**
**Adjusts to accommodate various ceiling thicknesses**

**Socket**
**Medium base porcelain socket on adjustable mounting bracket for proper lamp positioning**

**Ceiling Cut Out Size**
**7.25"x7.0"**

IC RATED | AIR TIGHT | 120V OPERATING VOLTAGE | UL LISTED | 1 YEAR LIMITED WARRANTY

## LAMP SPECIFICATIONS

**Base Type:** E26 Base
**Lamp Type:** R30 / PAR30 / A19
**Maximum Overall Diameter:** 12.5in.
**Maximum Overall Length:** 12.5in.

## ELECTRICAL SPECIFICATIONS

**Rated Input Voltage:** 120VAC

| | |
|---|---|
| **PROJECT:** | |
| **LOCATION:** | |
| **MODEL#:** | **TYPE:** |
| **CLIENT:** | **QTY:** |
| **PREPARED BY:** | **DATE:** |

## CERTIFICATIONS

**Code Compliance:** UL , cULus Listed for Feed Through , cULus Listed for Damp Location
**Construction Standard:** Certified under ASTM-E283 for Airtight Construction
**Performance Certifications:** IC Rated / Air Tight
**Safety Certifications:** UL Listed

## ENVIRONMENTAL SPECIFICATIONS

**UL Location Rating:** Damp Location

## PHYSICAL SPECIFICATIONS

**Housing Material:** Galvanized Steel
**Weight:** 2.62lbs

| | |
|---|---|
| PROJECT: | |
| LOCATION: | |
| MODEL#: | TYPE: |
| CLIENT: | QTY: |
| PREPARED BY: | DATE: |







## WARRANTY INFORMATION

**Warranty:** 1 Year

| | |
|---|---|
| PROJECT: | |
| LOCATION: | |
| MODEL#: | TYPE: |
| CLIENT: | QTY: |
| PREPARED BY: | DATE: |

**SAMPLE PART #: IC806**

| SERIES | CONFIGURATION |
|---|---|
| **IC** | [806] : 6" Slope New Work |

## SHIPPING SPECIFICATIONS

**Master Case**

**Height:** 8.25 in.
**Length:** 24.5in.
**QTY:** 4
**QTY UOM:** ea
**Weight:** 12.5lbs
**Width:** 20in.

**Pallet**

**QTY:** 80
**QTY UOM:** ea