



|              |       |
|--------------|-------|
| PROJECT:     |       |
| LOCATION:    |       |
| MODEL#:      | TYPE: |
| CLIENT:      | QTY:  |
| PREPARED BY: | DATE: |

## OMX1400-LP

### SERIES SPECIFICATIONS

The OMX Series low-profile emergency ballast delivers up to 1400 lumens of emergency illumination for 90 minutes during power loss. Compatible with a wide range of fluorescent lamps for reliable emergency lighting operation.



### ELECTRICAL SPECIFICATIONS

**Ballast Type:** Fluorescent Ballast  
**Current Draw 120VAC:** 0.130A  
**Current Draw 277VAC:** 0.130A  
**Input Frequency:** 50Hz / 60Hz

**Rated Input Voltage:** 120VAC / 277VAC  
**Wattage:** 3.1W

### EMERGENCY SPECIFICATIONS

**Battery Recharge Time:** 24hr  
**Emergency Certifications:** UL924  
**Emergency Runtime:** 90Minutes

**Input Voltage:** 120/277VAC  
**Max Power Input:** 3.1W

### CERTIFICATIONS

**Safety Certifications:** UL Listed

### ENVIRONMENTAL SPECIFICATIONS

**Temperature Rating Range:** 0-50°C  
**UL Location Rating:** Damp Location


### PHYSICAL SPECIFICATIONS

**Finish Color:** Silver  
**Finish Type:** Galvanized  
**Housing Material:** Galvanized Steel

**Mounting:** Fixture  
**Weight:** 2.6lbs



|              |       |
|--------------|-------|
| PROJECT:     |       |
| LOCATION:    |       |
| MODEL#:      | TYPE: |
| CLIENT:      | QTY:  |
| PREPARED BY: | DATE: |



## WARRANTY INFORMATION

**Warranty:** 5 Years

## NOTES

Lamp Compatibility: Operates two 28W T5, one 39W-54W T5HO, two 17W-40W T8 through T12, two 13W-26W 4-pin compact or two 18W-50W 4-pin long compact fluorescent lamps.

Test button and face plate included.



|              |       |
|--------------|-------|
| PROJECT:     |       |
| LOCATION:    |       |
| MODEL#:      | TYPE: |
| CLIENT:      | QTY:  |
| PREPARED BY: | DATE: |

EXAMPLE: OMX1400-LP

| SERIES | OUTPUT                                   | TYPE               |
|--------|------------------------------------------|--------------------|
| OMX    | [500]: 500 Lumens<br>[1400]: 1400 Lumens | [-LP]: Low profile |

SHIPPING SPECIFICATIONS

Case

Length: 15 in.  
QTY: 1

Weight: 2.75lbs  
Width: 4.5 in.

Master Case

Height: 6 in.  
Length: 16 in.