



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

## SLR-1

### SERIES SPECIFICATIONS

The SLR-1 is a micro adjustable LED emergency light that utilizes -fully adjustable LED heads, long life and environmentally friendly -Ni-Cad battery in an easy to install fixture design.



### LUMINAIRE SPECIFICATIONS

**Lumen Output:** 161lm

### LAMP SPECIFICATIONS

**Initial Lumen Output:** 161lm  
**Lamp Type:** LED

**Mean Lumen Output:** 161lm

### ELECTRICAL SPECIFICATIONS

**Battery Capacity:** EFB-NIC-3.6V-900  
**Rated Input Voltage:** 120VAC / 277VAC

**Wattage:** 2W

### EMERGENCY SPECIFICATIONS

**Battery Recharge Time:** 24hr  
**Battery Type:** 3.6V Rechargeable Ni-Cad

**Emergency Runtime:** 90Minutes

### CERTIFICATIONS

**Safety Certifications:** UL Listed

### ENVIRONMENTAL SPECIFICATIONS

**IP Rating:** Damp location  
**Temperature Rating:** Operating Temp.  
10° - 40°C


**UL Location Rating:** Damp Location

PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

## PHYSICAL SPECIFICATIONS

**Finish Color:** White  
**Housing Material:** Thermoplastic  
**Installation Method:** Surface mounting

**Lens Material:** Polycarbonate



## WARRANTY INFORMATION

**Warranty:** 5 Years



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

SLR-1		
SERIES	HOUSING COLOR	OPTION
SLR-1	[BLANK] : White	[BLANK] : No Option
	[B] : Black	[SD] : Self-Diagnostic
		[RC] : Remote Capable

### SHIPPING SPECIFICATIONS

**Case**

Height: 4.25 in.  
 Length: 12.75 in.  
 QTY: 1

Weight: 1.75lbs  
 Width: 5.25 in.

**Master Case**

Height: 13 in.  
 Length: 17.5 in.