



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

SLXPC3RWRC

SERIES SPECIFICATIONS

THE SLXPC-RC LED Combo Light ensures safety with adjustable heads, durable construction, and energy-efficient design for emergency lighting. This remote capable version has 3.4 w of remote capability. Compatible with LSRH-MULTI and RHR-MULTI series.



LUMINAIRE SPECIFICATIONS

Lumen Output: 82lm

LAMP SPECIFICATIONS

Lamp Type: LED
Mean Lumen Output: 82lm

ELECTRICAL SPECIFICATIONS

Rated Input Voltage: 277VAC / 120VAC
Wattage: 4.9W

EMERGENCY SPECIFICATIONS

Battery Recharge Time: 24hr
Battery Type: 3.6V Ni-MH Rechargeable Battery
Emergency Runtime: 1.5hr

Output Power: 2.5W

CERTIFICATIONS

Safety Certifications: UL Listed

ENVIRONMENTAL SPECIFICATIONS

UL Location Rating: Damp Location




PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

PHYSICAL SPECIFICATIONS

Finish Color: White
Housing Material: Thermoplastic
Mounting: Surface, top and bottom

Primary Material: Thermoplastic
Weight: 3.5lbs



WARRANTY INFORMATION

Warranty: 5 Years



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

SLXPC	3		W		A
SERIES	NO. OF FACES	LETTER COLOR	HOUSING COLOR	BATTERY	LED HEAD TYPE
SLXPC	[3] : Universal Single and Double Face	[R] : Red	[W] : White	[EM] : Battery Backup	[A] : Adjustable Heads
		[G] : Green		[RC] : Remote Capable	

SHIPPING SPECIFICATIONS

Package

Height: 3.75 in.
Length: 19.75 in.
QTY: 1

Weight: 3lbs
Width: 7.75 in.

Case

Height: 4 in.
Length: 21 in.
QTY: 1

Weight: 3.5lbs
Width: 8 in.

Master Case

Height: 12 in.
Length: 20 in.
QTY: 6

Weight: 19.1lbs
Width: 16 in.

Pallet

Height: 66 in.
Length: 48 in.
QTY: 180

Weight: 595lbs
Width: 42 in.