



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

LXP3MWEM-CS

SERIES SPECIFICATIONS

The Tamlite Lighting LXP3MWEM-CS LED Exit Sign, with its sleek white body and high-impact, flame retardant thermoplastic construction, offers both durability and style for any commercial or industrial setting. Available in either red or green LED illumination, this compact and energy-efficient sign ensures maximum visibility in emergency situations. Ideal for a variety of architectural layouts, it features universal mounting options and complies with safety and building codes, making it a reliable choice for enhancing building safety.



LAMP SPECIFICATIONS

Lamp Type: LED

ELECTRICAL SPECIFICATIONS

Rated Input Voltage: 120VAC / 277VAC

EMERGENCY SPECIFICATIONS

Battery Type: 2.4V Rechargeable Ni-Cad

CERTIFICATIONS

Safety Certifications: UL Listed

ENVIRONMENTAL SPECIFICATIONS

UL Location Rating: Damp Location


PHYSICAL SPECIFICATIONS

Finish Color: White
Housing Material: Thermoplastic
Mounting: Surface Mount

Primary Material: Thermoplastic
Weight: 2.4lbs



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:



WARRANTY INFORMATION

Warranty: 5 Years

NOTES

- Battery Life: 5 Years
- Battery Runtime: 90 Minutes

SHIPPING SPECIFICATIONS



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

Case

Height: 8 in.
Length: 2.5 in.
QTY: 1

Weight: 2.3lbs
Width: 12.5 in.

Master Case

Height: 9 in.
Length: 16 in.
QTY: 6

Weight: 14.8lbs
Width: 13.25 in.

Pallet

Height: 49 in.
Length: 48 in.
QTY: 240

Weight: 620lbs
Width: 40 in.