



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

LXPC3MWEM-CS

SERIES SPECIFICATIONS

The LXPC-CS is the ultimate solution for reliable and efficient emergency lighting. With its Dual heads and color select LED functionality, this unit ensures clear visibility in critical situations, housed in a durable, flame-retardant white body suitable for damp locations and equipped with a 90-minute battery backup.



LUMINAIRE SPECIFICATIONS

Lumen Output: 114lm

LAMP SPECIFICATIONS

Lamp Type: LED
Mean Lumen Output: 114lm

ELECTRICAL SPECIFICATIONS

Rated Input Voltage: 120VAC / 277VAC

EMERGENCY SPECIFICATIONS

Battery Type: 3.6 Volt Ni-Cad
Emergency Runtime: 1.5hr

CERTIFICATIONS

Safety Certifications: UL Listed

ENVIRONMENTAL SPECIFICATIONS

UL Location Rating: Damp Location


PHYSICAL SPECIFICATIONS

Finish Color: White
Housing Material: Thermoplastic
Mounting: Surface

Primary Material: Thermoplastic
Weight: 3.4lbs



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:



WARRANTY INFORMATION

Warranty: 5 Years

SHIPPING SPECIFICATIONS

Package

Height: 3.75 in.

Length: 19.5 in.

QTY: 1

Weight: 3.25lbs

Width: 8.5 in.



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

Case

Height: 2.75 in.
Length: 18.5 in.
QTY: 1

Weight: 2.5lbs
Width: 7.75 in.

Master Case

Height: 9.25 in.
Length: 20 in.
QTY: 6

Weight: 18lbs
Width: 16.5 in.

Pallet

Height: 60 in.
Length: 48 in.
QTY: 180

Weight: 565lbs
Width: 40 in.