



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

LT-6-B

SERIES SPECIFICATIONS

The LT Series is a single-circuit line voltage track system engineered for commercial and architectural lighting applications. Designed for durability and flexibility, it supports customizable lighting layouts with reliable performance.



ELECTRICAL SPECIFICATIONS

Current Draw 120VAC: 20A
Input Frequency: 50Hz / 60Hz

Rated Input Voltage: 120VAC

CERTIFICATIONS

Safety Certifications: cULus Listed

ENVIRONMENTAL SPECIFICATIONS

UL Location Rating: Dry Location


PHYSICAL SPECIFICATIONS

Conductor Material: Copper
Construction Type: Insulated
Finish Color: Black
Height: 11/16in.
Housing Material: Aluminum

Length: 6ft
Mounting: Surface
Width: 1-3/8in.



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:



WARRANTY INFORMATION

Warranty: 1 Year

NOTES

- Toggle Bolts included for simple surface installation; other mounting options include: T-Bar Clips, Stems, Threaded Rods and Aircraft Cable
- Each Nominal Track Length supplied with two (2) insulated End Caps; replacements available
- Use a minimum of two (2) Mounting Points for 2, 4 and 6 foot Track Sections, three (3) Mounting Points for 8 foot Sections and four (4) Mounting Points for 12 foot Sections of Track.



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

EXAMPLE: LT-2-B

SERIES	SIZE	FINISH
LT	[-2]: 2Ft Track [-4]: 4Ft Track [-6]: 6Ft Track [-8]: 8Ft Track	[-B]: Black [-P]: White [-S]: Silver

SHIPPING SPECIFICATIONS