



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

CNPY-80WS-3CS-WH

SERIES SPECIFICATIONS


The Tamlite Lighting CNPY LED Canopy Light is a top choice for efficient, high-quality outdoor illumination. With its durable aluminum construction and stylish white finish, this fixture is perfect for enhancing visibility in parking garages, industrial settings, and covered walkways.



LUMINAIRE SPECIFICATIONS

Beam Angle: 120°
Efficacy: 145lm/W
Lumen Output: 6960/9280/11600lm

Luminaire Type: Canopy





PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

LIGHT SOURCE SPECIFICATIONS

CRI: 80
Nominal CCT: 3000K/4000K/5000K

Source Type: LED

ELECTRICAL SPECIFICATIONS

Ballast Type: LED Driver
Dimming: 0-10V
Input Frequency: 50Hz / 60Hz
Rated Input Voltage Range: 120-347VAC

Surge Suppression: 6,000Volts
Wattage: 80/64/48W

SENSOR SPECIFICATIONS

Control Type: Photocell

CERTIFICATIONS

Performance Certifications: DLC
Safety Certifications: UL Listed

ENVIRONMENTAL SPECIFICATIONS


IP Rating: IP65
Temperature Rating Range: -40-40°C

UL Location Rating: Wet Location

PHYSICAL SPECIFICATIONS

Finish Color: White
Finish Type: Powder Coated
Housing Material: Aluminum
Lens Material: Polycarbonate

Mounting: Ceiling or Soffit
Wiring Type: 3-Wire (L-N-G) 2-wire(010Vdc)





PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

WARRANTY INFORMATION

Warranty: 5 Years

NOTES

Z10 sensor receptacle



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

EXAMPLE: CNPY-40WS-3CS-BZ

SERIES	WATTAGE	COLOR TEMP.	FINISH
CNPY	-40WS: 40/32/24W -80WS: 80/64/48W	-3CS: Selectable 3000/4000/5000K	-BZ: Bronze -WH: White

SHIPPING SPECIFICATIONS

Case

Height: 5.7in.
Length: 12.79in.
QTY: 1

Weight: 4.87lbs
Width: 12.4in.

Master Case

Height: 13.19in.
Length: 17.91in.
QTY: 3

Weight: 18.11lbs
Width: 13.58in.