



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

## LS-G4-27K

### SERIES SPECIFICATIONS

The LS Series 12V G4 lamp delivers inviting illumination ideal for accenting landscapes, and architectural features. Its 360° omnidirectional beam angle provides uniform light distribution. Designed for low-voltage outdoor lighting systems, this energy-efficient LED offers long-lasting performance.



### LAMP SPECIFICATIONS

**Base Type:** Bi-pin (G4)  
**Enclosed Rated:** Yes  
**Lamp Beam Angle:** 360 °

**Lamp Type:** LED  
**Mean Lumen Output:** 300lm

### LIGHT SOURCE SPECIFICATIONS

**CRI:** 80  
**Nominal CCT:** 2700K

**Source Type:** LED

### ELECTRICAL SPECIFICATIONS

**Ballast Type:** Low Voltage Transformer  
**Current Draw:** 0.36A  
**Dimming:** Dimmable  
**Rated Input Voltage:** 12VAC

**Rated Input Voltage Range:** 11-16VAC  
**Wattage:** 3W

### CERTIFICATIONS

**Safety Certifications:** cULus Listed

### ENVIRONMENTAL SPECIFICATIONS

**Temperature Rating Range:** -20-40°C  
**UL Location Rating:** Damp Location




PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

## PHYSICAL SPECIFICATIONS

**Finish Color:** White  
**Housing Material:** Aluminum  
**Lens Material:** Polycarbonate

**Mounting:** Fixture  
**Weight:** 0.1



## WARRANTY INFORMATION

**Warranty:** 1 Year



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

EXAMPLE: LS-G4-27K

SERIES	TYPE	COLOR TEMPERATURE	OPTICS
LS	[-G4]: Landscape 12V 3W G4 Lamp	[-27K]: 2700K [-3K]: 3000K	[BLANK]: Omni directional 360°

## SHIPPING SPECIFICATIONS

### Package

**Height:** 2.1in.  
**Length:** 0.75in.  
**QTY:** 1

**QTY UOM:** ea  
**Weight:** 0.1lbs  
**Width:** 0.75in.