



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

LS-G4-3K

SERIES SPECIFICATIONS

The LS Series 12V G4 lamp delivers inviting illumination ideal for accenting landscapes, and architectural features. Its 360° omnidirectional beam angle provides uniform light distribution. Designed for low-voltage outdoor lighting systems, this energy-efficient LED offers long-lasting performance.



LAMP SPECIFICATIONS

Base Type: Bi-pin (G4)
Enclosed Rated: Yes
Lamp Beam Angle: 360 °

Lamp Type: LED
Mean Lumen Output: 300lm

LIGHT SOURCE SPECIFICATIONS

CRI: 80
Nominal CCT: 3000K

Source Type: LED

ELECTRICAL SPECIFICATIONS

Ballast Type: Low Voltage Transformer
Current Draw: 0.36A
Dimming: Dimmable
Rated Input Voltage: 12VAC

Rated Input Voltage Range: 11-16VAC
Wattage: 3W

CERTIFICATIONS

Safety Certifications: cULus Listed

ENVIRONMENTAL SPECIFICATIONS

Temperature Rating Range: -20-40°C
UL Location Rating: Damp Location




PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

PHYSICAL SPECIFICATIONS

Finish Color: White
Housing Material: Aluminum
Lens Material: Polycarbonate

Mounting: Fixture
Weight: 0.1lbs



WARRANTY INFORMATION

Warranty: 1 Year



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

EXAMPLE: LS-G4-27K

SERIES	TYPE	COLOR TEMPERATURE	OPTICS
LS	[-G4]: Landscape 12V 3W G4 Lamp	[-27K]: 2700K [-3K]: 3000K	[BLANK]: Omni directional 360°

SHIPPING SPECIFICATIONS

Package

Height: 2.1in.
Length: 0.75in.
QTY: 1

QTY UOM: ea
Weight: 0.1lbs
Width: 0.75in.