



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

## FCO-40WS-SO-3CS-BZ

### SERIES SPECIFICATIONS


The FCO series full cutoff wall pack reduces glare and delivers optimal light distribution. Featuring wattage and color selectable technology, it allows easy on-site customization to meet a wide range of lighting requirements. Selectable optic distribution including T2, T3, and T4 provide precise light placement for building perimeters, hospitality spaces, retail exteriors, and transportation areas. Designed for durability and performance, this versatile fixture simplifies specification while maximizing energy savings.



### LUMINAIRE SPECIFICATIONS

**Efficacy:** 140lm/W  
**Lumen Output:** 3500/4200/5600lm  
**Luminaire Type:** Wall Pack

**Spacing Criteria:** T2/T3/T4





PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

### LIGHT SOURCE SPECIFICATIONS

**CRI:** 80  
**Nominal CCT:** 3000K/4000K/5000K

**Source Type:** LED

### ELECTRICAL SPECIFICATIONS

**Ballast Type:** LED Driver  
**Dimming:** 0-10V  
**Input Frequency:** 50Hz / 60Hz

**Rated Input Voltage Range:** 120-277VAC  
**Wattage:** 40/30/25W

### SENSOR SPECIFICATIONS

**Sensor Type:** Photocell

### CERTIFICATIONS

**Performance Certifications:** DLC  
**Safety Certifications:** UL Listed

### ENVIRONMENTAL SPECIFICATIONS

**IP Rating:** IP65  
**Temperature Rating Range:** -40-40°C

**UL Location Rating:** Wet Location

### PHYSICAL SPECIFICATIONS


**Finish Color:** Bronze  
**Finish Type:** Powder Coat  
**Housing Material:** Aluminum  
**Lens Material:** Polycarbonate

**Mounting:** Surface  
**Wiring Type:** 3-Wire (L-N-G) 2-wire(010Vdc)




PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

FCO-40



FCO-60 & FCO-100



## WARRANTY INFORMATION

Warranty: 5 Years



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

EXAMPLE: FCO-40WS-S0-3CS-BZ

SERIES*	WATTAGE	OPTICS	COLOR TEMP.	FINISH	EMERGENCY
FCO	-40WS: 40/30/25W -60WS: 60/50/40W -100WS: 100/80/60W	-S0: Swappable Optics Included T2, T3, T4	-3CS: Selectable 3000/4000/5000K	-BZ: Bronze	BLANK: No option -EM: Emergency backup

\*Fixtures are set to highest wattage, 5000K color temperature.

## SHIPPING SPECIFICATIONS

### Master Case

**Height:** 7.91 in.  
**Length:** 10.83 in.  
**QTY:** 1

**Weight:** 5.34lbs  
**Width:** 9.09 in.