



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

CNPY-40WS-3CS-BZ

SERIES SPECIFICATIONS


The Tamlite Lighting CNPY LED Canopy Light is a top choice for efficient, high-quality outdoor illumination. With its durable aluminum construction and stylish bronze finish, this fixture is perfect for enhancing visibility in parking garages, industrial settings, and covered walkways.



LUMINAIRE SPECIFICATIONS

Efficacy: 145lm/W
Lumen Output: 3480/4640/5800lm
Luminaire Beam Angle: 120°

Luminaire Type: Canopy





PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

LIGHT SOURCE SPECIFICATIONS

CRI: 80
Nominal CCT: 3000K/4000K/5000K

Source Type: LED

ELECTRICAL SPECIFICATIONS

Ballast Type: LED Driver
Dimming: 0-10V
Input Frequency: 50Hz / 60Hz
Rated Input Voltage Range: 120-347VAC

Surge Suppression: 6,000Volts
Wattage: 40/32/24W

SENSOR SPECIFICATIONS

Sensor Type: Photocell

CERTIFICATIONS

Performance Certifications: DLC
Safety Certifications: UL Listed

ENVIRONMENTAL SPECIFICATIONS

IP Rating: IP65
Temperature Rating Range: -40-40°C


UL Location Rating: Wet Location

PHYSICAL SPECIFICATIONS

Finish Color: Bronze
Finish Type: Powder Coat
Housing Material: Aluminum
Lens Material: Polycarbonate

Mounting: Ceiling
Wiring Type: 3-Wire (L-N-G) 2-wire(010Vdc)

PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:



WARRANTY INFORMATION

Warranty: 5 Years

NOTES

Z10 sensor receptacle



PROJECT:	
LOCATION:	
MODEL#:	TYPE:
CLIENT:	QTY:
PREPARED BY:	DATE:

EXAMPLE: CNPY-40WS-3CS-BZ

SERIES	WATTAGE	COLOR TEMP.	FINISH
CNPY	-40WS: 40/32/24W -80WS: 80/64/48W	-3CS: Selectable 3000/4000/5000K	-BZ: Bronze

SHIPPING SPECIFICATIONS

Case

Height: 4.72 in.
Length: 10.23 in.
QTY: 1

Weight: 3.75lbs
Width: 9.84 in.

Master Case

Height: 10.24 in.
Length: 20.47 in.
QTY: 4

Weight: 18.25lbs
Width: 11.02 in.